



**Flammable, toxic and oxygen gas detector for commercial applications**

# Sensepoint XCD



## One-Stop Shop

- Flammable (catalytic or infrared), toxic and oxygen versions available
- New and retrofit applications
- Suitable for indoor or outdoor use
- Aluminium explosion-proof housing
- IP66 as standard

## Proven and Reliable Sensor Technology

- Surecell™ electrochemical sensors
- Reflex® sensor health check
- Poison immune infrared sensors
- Poison resistant catalytic bead sensors
- Long life sensors

## Approvals

- US and Canadian
- Compliant with UL and CSA standards

## Easy to Use

- User friendly and intuitive tri-colour backlit display with digits, bar graph and icons
- Fully configurable via magnetic switches
- Selectable sink or source 4-20mA output
- Auto-inhibit during maintenance
- MODBUS communications for remote diagnostics/configuration

## Cost Effective

- Common transmitter platform
- Minimal training required
- Reduced spares
- Non-intrusive, one-man operation
- Plug-in sensor replacement
- MODBUS multi drop option offers cabling savings

## Simple Installation

- Plug-in display module removes to give access to terminal area
- Integral mounting bracket
- 2 x ¾" NPT cable/conduit entries
- Removable plug/socket type terminal blocks for ease of wiring
- Sink/source switch to suit preferred wiring topology

## Range of Optional Accessories

- Remote sensor gassing kit
- Duct mounting kit
- Calibration gas flow housing
- Collecting cone

**The Sensepoint XCD range provides comprehensive monitoring of flammable, toxic and Oxygen gas hazards in potentially explosive atmospheres, both indoors and outdoors. Users can modify detector operation using the LCD and magnet switches without ever needing to open the unit. This enables one-man, non-intrusive operation and reduces routine maintenance time and costs.**


A tri-color backlit LCD clearly indicates the unit's status at a glance, even from a distance. A steady green backlight indicates normal operation, flashing yellow indicates fault and flashing red indicates an alarm.

All detectors are supplied pre-configured and include 2 programmable alarm relays, 1 programmable fault relay as well as an industry standard 4-20mA output (sink or source selectable) and Modbus.

The scale, range, relay operation, alarm set point and electronic tag number of the detector can be adjusted using the transmitter's LCD and non-intrusive magnetic switches. Outputs are automatically inhibited during adjustment, thereby reducing the risk of false alarm at the control panel during maintenance.

Sensepoint XCD has an integral mounting plate for surface mounting or can be mounted to a horizontal or vertical pipe using the optional pipe mounting bracket. Electrical installation can be made using either conduit or cable with suitable mechanical protection. Two ¾" NPT entries are provided. A weatherproof cap is also included for use in the harshest outdoor conditions. Other optional accessories include a sunshade/deluge protection, duct mounting kit and collecting cone.

Sensepoint XCD ensures easy installation and the fastest routine operation by removing the need for hot work permits in hazardous areas. Using easy to replace plug-in sensors, downtime is also reduced and on-going costs are minimized through the use of poison resistant flammable sensors, poison immune infrared Hydrocarbon sensors and patented Surecell™ toxic sensors and Reflex® sensor health check.



## Typical Applications

- Mechanical Rooms
- Battery Charging Rooms
- Waste water facilities
- Utilities
- Food and beverage production
- School Boiler Rooms
- VA Hospitals
- School Labs
- City Transit Garages and Repair Bays
- Automotive Manufacturing Plants

# Sensepoint XCD Overview



There are three different types of the XCD transmitter for use with three different families of sensors.


The mV type transmitter is for use with the mV family of XCD sensors including catalytic sensors to detect flammable gases in the range 0-100%LEL.

The EC type transmitter is for use with the EC family of XCD sensors including Carbon Monoxide (CO), Hydrogen Sulfide, (H<sub>2</sub>S), Hydrogen (H<sub>2</sub>) and Nitrogen Dioxide (NO<sub>2</sub>).

The Oxygen transmitter is for use with the Oxygen (O<sub>2</sub>) XCD sensors.


A transmitter can auto-recognize any sensor from within its sensor family. The sensor simply plugs into the bottom of the transmitter and the transmitter automatically configures itself accordingly.

Sensepoint XCD Sensor Families, Gases and Ranges								
	Gas	User Selectable Full Scale Range	Default Range	Range Increments	Selectable Cal Gas Range	Default Cal Point		
Sensor Family	mV	Catalytic Bead Sensors			30 to 70% of selected full scale range	50%LEL		
		Flammable 1 to 8*	20 to 100%LEL	100%LEL			10%LEL	
		Infrared Sensors						
		Methane	20 to 100%LEL	100%LEL			10%LEL	50%LEL
		Propane	20 to 100%LEL	100%LEL			10%LEL	50%LEL
		Carbon Dioxide	2%Vol.	2%Vol.			0.1%Vol.	1%Vol.
	EC	Electrochemical Sensors						
		Hydrogen Sulfide	10 to 100ppm	50.0ppm	0.1ppm	10ppm		
		Carbon Monoxide	100 to 1,000ppm	300ppm	100ppm	100ppm		
		Hydrogen	1,000ppm only	1,000ppm	n/a	500ppm		
	O <sub>2</sub>	Nitrogen Dioxide	10 to 50ppm	10ppm	5ppm	5ppm		
		Oxygen	25%Vol. only	25%Vol.	n/a	20.9%Vol. (Fixed)	20.9%Vol.	






## Safety at a Glance!

Sensepoint XCD uses three instantly recognizable "traffic light" colors to indicate its status. The large tri-color backlit LCD is steady green to indicate normal operation, flashes yellow to indicate a fault/warning and flashes red to indicate an alarm. This allows anyone in the area to clearly see *at a glance* the status of any detector. This can be particularly useful to identify detector status if the detector is located in a difficult to access area or if a number of detectors are located in the same area.



XCD is the right choice for a variety of demanding industrial applications

	Building Environment	Gases Present (Detected by XCD)
	Boiler Rooms	<ul style="list-style-type: none"> <li>• Hydrogen Sulfide</li> <li>• Carbon Monoxide</li> <li>• Oxygen</li> </ul>
	Hospitals/Ambulance Bays	<ul style="list-style-type: none"> <li>• Hydrogen Sulfide</li> <li>• Carbon Monoxide</li> <li>• Oxygen</li> </ul>
	Golf Cart Maintenance/ Battery Charging Area	<ul style="list-style-type: none"> <li>• Carbon Monoxide</li> <li>• Nitrogen Dioxide</li> <li>• Propane</li> <li>• Oxygen</li> <li>• Hydrogen</li> </ul>
	Maintenance Garage	<ul style="list-style-type: none"> <li>• Carbon Monoxide</li> <li>• Nitrogen Dioxide</li> <li>• Propane</li> <li>• Oxygen</li> <li>• Hydrogen</li> <li>• Hydrogen Sulfide</li> </ul>
	Battery Charging Rooms	<ul style="list-style-type: none"> <li>• Hydrogen</li> </ul>

**Find out more**

[www.honeywellanalytics.com](http://www.honeywellanalytics.com)

**Contact Honeywell Analytics:**

**Americas**

Honeywell Analytics, Inc.  
 4005 Matte Blvd., Unit G  
 Brossard, QC, Canada  
 J4Y 2P4  
 Tel: 450.619.2450  
 Toll-free: 800.563.2967  
 Fax: 888.967.9938  
[detectgas@honeywell.com](mailto:detectgas@honeywell.com)

**Technical Services**

[haservice@honeywell.com](mailto:haservice@honeywell.com)  
[www.honeywell.com](http://www.honeywell.com)

**Please Note:**

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

**Honeywell Analytics Serves Every Business**

**We offer the industry's most complete range of gas detection products and services to meet all customer needs.**

**Commercial**

Gas detection from standalone units to fully engineered, multi-point systems, all offering cost-effective regulatory compliance

- » Applications: parking structures, chillers, mechanical rooms, office towers, commercial buildings, shopping centers, swimming pools, golf courses, schools and universities, laboratories

**Industrial**

Renowned Sieger, Zareba and Manning gas detection systems with advanced electrochemical, infrared and open path sensing technologies

- » Applications: oil and gas, cold storage, water/wastewater treatment, chemicals, engine rooms, plastics and fibers, agriculture, printing and light industrial

**Portables**

Single or multi-gas BW Technologies, Lumidor and other premium detectors with compact, lightweight designs ranging from simple alarm only units to advanced, fully configurable and serviceable instruments

- » Applications: underground utility and electricity ducts, boiler rooms, post-fire sites, sewers, industrial plants, industrial hygiene, first responder teams, remote fleets

**High Tech/Government**

A complete portfolio of gas and chemical detection instrumentation including infrared spectroscopy with no cross interference (MST Technologies), to Chemcassette paper-based solutions (MDA Scientific) offering detection down to parts per billion

- » Applications: semiconductor manufacturing and nanotechnology, aerospace propulsion and safety, specialty chemicals industry, research laboratories, emergency response

**Technical Services**

24/7 global network includes post-sales service and Systems Integration teams

- » Emergency call out, service contracts, on/off-site repair, training and commissioning
- » Complete range of spares, consumables and accessories

